| | | | Prime Certification & Inspection | | | | | |
|----------------|-------------------------|-------------------------------|--|--------------|-------------------------------|-----------------------------|--|---|
| PRIME | Prime C&I P.O Box 61 | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | | | | Prime C&I Company Ltd. Chiba City, Japan |
| | Email: info | 4) 431 43 45 @uaeprime.com | Ph.: +632 84041002 Email: info@primeasiapacific.com Weh: www.primegroup.ae | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | |
| Title | Proce | dure for Use | e of Product Conform | | | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revision: 00 | | Date: 26/11/2019 | | Page 1 of 19 |
| Prepared by | Technical Manager | | | Appro | | ved by Certification | | n Manager |

Usage Policy for EQM Logo

Purpose

This document regulates the use of Emirates Quality Mark (EQM) logo in certified products and this is intended for MOIAT and its clients. This will be the document to be used as a reference for the proper usage of the EQM logo and the corrective action to be taken in case of misuse.

Content

- 0. Definitions
- 1. Introduction
- 2. Design of EQM Logo
- 3. General Rules
- 4. Corrective Action for Defective Products or Misuse of Certification Mark
- 5. Conditions under which Corrective Action is taken
- 6. Types of Corrective Action
- 7. Choice of Action against the Misuser
- 8. Initiating Corrective Action with Misuser
- 9. Completing a Successful Corrective Action with a Misuser who has an Agreement with MOIAT-CAD
- 10. Degree of Corrective Action to be Achieve
- 11. Refusal to Take Corrective Action
- 12. References

| | | | Prime Certification & Inspection | | | | | |
|----------------|-------------------------|-------------------------------|---|--|--|-------------------------------|---------------|--|
| PRIME | Prime C&I P.O Box 61 | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | | | | Prime C&I Company Ltd. Chiba City, Japan |
| | Email: info | 4) 431 43 45 @uaeprime.com | Ph.: + Email | Ph.: +632 84041002 Email: info@primeasiapacific.com Weh: www.primegroup.ae | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | e of Product Conform | | | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revision: 00 | | Date: 26/11/2019 | | Page 2 of 19 |
| Prepared by | Technical Manager | | | Appro | | ved by | Certification | n Manager |

DEFINITIONS

For the purpose of this Policy, the following definitions shall apply:

0.1 Emirates Quality Mark

It is an approved mark by MOIAT indicating conformity of product to the UAE Product Certification Scheme.

0.2 Certified Product

It refers to the product(s) being evaluated and approved for the UAE Product Certification Scheme.

0.3 Logo

It is a unique graphic identification of an organisation. In the context of product certification, it is a product certification mark given to product/s which complies with an approved standard.

0.4 Approved Standard

It refers to a Product Standard approved by MOIAT to be used in verifying conformity of a product.

0.5 UAE Product Certification Scheme

It is a national product certification scheme which allows the use of the Emirates Mark of Conformity to the certified product.

1. INTRODUCTION

| | | | | | Pı | rime Ce | ertificatio | n & Inspection |
|----------------|--|--------------|------|---|--------|---|-------------|--|
| • | P.O Box 61670, Dubai, UAE Ph.: + 971(4) 431 43 45 Email: info@uaeprime.com | | | Prime C&I Asia Pacific Inc. Makati City, Philippines Ph.: +632 84041002 Email: info@primeasiapacific.com Web: www.primegroup.ae | | | | Prime C&I Company Ltd. Chiba City, Japan |
| PRIME | | | | | | Ph.: +91 80 46848484 Email: info@primeci-india.com Web: www.primegroup.ae | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | e of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revisio | n: 00 | Date | 26/11/2019 | Page 3 of 19 |
| Prepared by | Technical Manager | | | Appro | ved by | Certification | n Manager | |

This document is prepared for satisfying the requirement of Federal Law No. 28:2001 Article 5, Clause 11 requiring that the certificate of conformity and marks issued by MOIAT shall be properly controlled. The license to use the Emirates Quality Mark (EQM) is given to companies manufacturing certified products and this document specifies the conditions on the proper use of EQM logo and the corrective action for its misuse.

2. DESIGN OF EQM LOGO

2.1 Design



2.2 Colour

The logo shall be reproduced in the national flag colours of UAE.

2.3 Size

The size of the logo shall as a main rule in ratio of 1:1 (length x breadth) and as shown in the 2.1. In any case of size variations (decreasing or increasing), the size must always follow and respect the proportions of the logo.

2.4 Paper quality

The EQM logo shall be printed on paper which assures quality that the colour is reproduced correctly and with a sharp text.

2.5 Access to EQM logo

The EQM Logo will be transferred electronically to companies after the signing of the License to Use the Emirates Quality Mark.

3. GENERAL RULES

| | | | | | P | rime Co | ertification | n & Insp | ection |
|----------------|---------------------------|---------------|-------|---|--------|-------------------------------|--------------|---|--------------|
| PRIME | P.O Box 61670, Dubai, UAE | | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Email: info | @uaeprime.com | Email | Web: www.primeasiapacific.com | | Email: info@primeci-india.com | | Ph.: +81-43-205-4 Email: <u>info@prime</u> Web: www.prime | ci-japan.com |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex | . C) |
| Doc ref: QP-11 | Issue: 01 | | | Revision: 00 | | Date: 26/11/2019 | | Page 4 | of 19 |
| Prepared by | Technical Manager | | | | Appro | Approved by Certification | | Manager | |

- 3.1 After obtaining the Certificate of Conformity, the licensee shall use the Emirates Quality Mark on the certified products.
- 3.2 The licensee shall use the mark for sales promotion for the product. It may be used in advertisements and on stationery together with the logo or the name of the manufacturer or the licensee provided that it is not used in such a manner that MOIAT may consider as misleading. The EQM Logo may be used on the following:
- -on the principal display panel of the certified products,
- -on the secondary or tertiary packaging whichever is directly visible to the buyer during display
- -on company publicity materials such as brochures, company profiles, reports, exhibition materials, flyers, banners, roll-ups etc
- -on corporate electronic media such as in website, internet etc
- -on the internal walls and doors of the factory/offices
- -on company vehicles
- -on company communication documents such as letterheads, stationeries etc
- 3.3 The Emirates Quality Mark shall be reproduced exactly the same color and proportion whenever it is possible.
- 3.4 The Emirates Mark of Conformity is the exclusive property of MOIAT and its correct use is a contractual obligation. Intentional misuse of the mark maybe grounds for actions that may include but not limited to withdrawing the Certificate of Conformity.
- 3.5 MOIAT shall implement market monitoring for ensuring correct use of the Emirates Quality Mark.
- 3.6 The company/supplier shall not use its product certification in such a manner as to bring MOIAT- Conformity Affairs Department (CAD) into disrepute and not make any statement regarding its product certification that MOIAT-CAD may consider misleading or unauthorized
- 3.7 In making reference to its product certification in communication media, a supplier of ECAS/EQM Certified products must comply with MOIAT-CAD requirements. A supplier may publish that it has been authorized to apply certification mark to products to which the certification applies. In all cases, the supplier shall take sufficient care of in its publications and advertisements that no confusion arises between certified and non-certified products.

| | | | Prime Certification & Inspection | | | | | | |
|----------------|---------------------------|---------------|----------------------------------|--|------------------------------|-------------------------------|-------------|---|--|
| _P_ | P.O Box 61670, Dubai, UAE | | | e C&I Asia Pacific ti City, Philippin | c Inc. | | | Prime C&I Company Ltd. Chiba City, Japan | |
| PRIME | Email: info | @uaeprime.com | Email | Email: <u>into@primeasiapacific.com</u> Web: www.primegroup.ae | | Email: info@primeci-india.com | | Emai | +81-43-205-4995 il: <u>info@primeci-japan.com</u> o: www.primegroup.ae |
| Title | Proce | dure for Use | se of Product Conform | | | ity mark | - EQM & ECA | AS - | - (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | Revision: 0 | | n: <mark>00</mark> | Date: 26/11/2019 | | | Page 5 of 19 |
| Prepared by | Techn | ical Manage | r Appro | | oved by Certification | | n M | anager | |

If a supplier wishes to publish a test report or evaluation report, the report shall be reproduced in full, unless specific authorization is granted by MOIAT-CAD to publish part(s) of the report. A supplier shall not specify function or claim or the like in its use information that could mislead purchasers to believe that performances of the products or its use are covered by the certification when in fact they are not.

- 3.8 Instructions or other user information accompanying the product and related to the certification scheme shall be approved by MOIAT-CAD. Advertisements containing MOIAT-CAD certification mark or reference to certification shall be approved by MOIAT-CAD.
- 3.9 In case of any doubts regarding the use of the logo, prior written approval shall be obtained from MOIAT to prevent misuse and subsequent corrective action.
- 4.0 Corrective Action for Defective Products or Misuse of Certification Mark

MOIAT-CAD procedures for taking corrective action following the identification of defective products or misuse of its certification marks follow ISO/IEC Guide 27, Guidelines for corrective action to be taken by a certification body in the event of either misapplication of its mark of conformity to a product, or products which bear the mark of the certification body being found to subject persons or property to risk

5.0 Conditions under which Corrective Action is taken

MOIAT-CAD will require a misuser (i.e., any person, organization, or corporate body that misuses the

certification marks, regardless of whether or not the product is eligible to bear the mark) to take corrective action whenever an the certification mark has been affixed to a product that:

- is hazardous;
- is not authorized to bear the certification mark, e.g., because there is no record of the product in question having been certified; or does not comply with the applicable certification requirements to the extent that the integrity of certification mark is jeopardized;
- bears an unauthorized form of the mark; or
- is in violation of the ECAS/EQM policies under which the product was tested and certified.

| | | | Prime Certification & Inspection | | | | | | |
|----------------|---------------------------|------------------------------|----------------------------------|---------------------------------|--------|----------------------|-------------|--|--|
| • | P.O Box 61670, Dubai, UAE | | | Daime Coll Asia Dasifia Inc | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| PRIME | Email: info | Email: info@uaeprime.com Ema | | mail: info@primeasiapacific.com | | | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | | Issue: 01 | | Revisio | n: 00 | Date | 26/11/2019 | Page 6 of 19 | |
| Prepared by | Technical Manager | | | Appro | | oved by Certificatio | | n Manager | |

A product is considered "hazardous" if it exposes life, limb, or property to imminently dangerous conditions. A hazardous product is considered to exist if the quantity of products involved is such as to constitute an unacceptable percentage, and there is either:

- An unsafe construction; or
- The product is gaining widespread use in an application not foreseen when the standard(s) to which the product is certified was (were) written, such applications in turn being ones for which the product was not certified; and
- No specific scope of applications has been provided in the standard(s), and
- No limiting scope of application has been provided by the manufacturer in written material accompanying the product at point of sale.

Note — where an inherent hazard is necessary for the product to perform its intended function, e.g. rotating blades of a food mixer, such a hazard shall not be considered "hazardous" in the context of this definition.

Whenever either a report of misuse of certification mark or of a hazard involved with a product bearing certification mark is received, the validity of the report will be investigated. Where it is established that misuse has occurred MOIAT-CAD will determine the scope of the misuse, including products, model number, serial numbers, factory production facilities, production runs and quantities involved.

- 6.0 Types of Corrective Action
- 6.1 Corrective action could be one or more of the following:
- 6.1.1. Notification of parties authorized and responsible for instituting a recall (i.e., the action by which the misuser of the certification mark or the producer of a hazardous product or other party responsible for making the product available withdraws the product from users, the marketplace, or distribution sites and returns them to an acceptable location for corrective action) when, in MOIAT-CAD's opinion, such recall is necessary to protect the public and to permit implementation of the corrective action (i.e., the action determined by MOIAT CAD to be appropriate to eliminate the consequences of the misuse and to remove the hazard as far as necessary and practicably possible);

| | | | Prime Certification & Inspection | | | | | |
|----------------|--|--------------|----------------------------------|------------------------|------|-------------------------------|-------------|--|
| _ P _ | P.O Box 61670, Dubai, UAE Ph.: + 971(4) 431 43 45 Pmail: info@uaeprime.com | | | e C&I Asia Pacific | Inc. | | | Prime C&I Company Ltd. Chiba City, Japan |
| PRIME | | | | Web: www.primegroup.ce | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | e of Product Conform | | | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revision: 00 | | Date: 26/11/2019 | | Page 7 of 19 |
| Prepared by | Technical Manager | | r | Appro | | oved by Certification | | n Manager |

- 6.1.2 Removing the certification mark from the product (This is normally done only at the factory or other central location so that the product in question is removed from the stockroom, marketplace, distribution sites, or user's possession. Alternatively, the certification mark could be removed from the product on site, provided such removal is in collaboration with the involved regulatory authorities who would then proceed to accept or reject the product.);
- 6.1.3. Rebuilding the product so that it complies with the governing certification requirements;
- 6.1.4. Scrapping or replacing a returned product because it is not practicable either to remove the certification mark or to rebuild the product so that it complies with the governing certification requirements; and
- 4.1.5. Where a hazardous condition exists, MOIAT CAD will, in consultation with the appropriate regulatory authorities (such as Dubai Municipality, Abu Dhabi Municipality etc.), pursue the release of a notice to the general public about the hazard.
- 7. Choice of Action against the Misuser

When the facts indicating a need for corrective action are conclusive, MOIAT-CAD will initiate corrective action immediately, provided there is a misuser to be held responsible for such action. Legal actions to be initiated and penalties to be imposed shall be based on Federal Law 28:2001.

8. Initiating Corrective Action with Misuser

When there is conclusive proof that a product is hazardous or is involved in misuse of certification mark, corrective action will be initiated by MOIAT-CAD. In such instances, the misuser and, where appropriate, the regulatory authorities shall be notified immediately by telephone, fax, or E-Mail of the problem, and License to apply the certification mark to the involved product shall be terminated. In the case of a hazardous product bearing the certification mark, MOIAT-CAD will inform the misuser of the need to take appropriate corrective action, advising of the hazard and the action to be taken.

The initial notification to the misuser will require confirmation in writing by registered (or equivalent) letter, with copies to the appropriate regulatory authorities and/or other bodies when appropriate. Such letter will normally contain: the reason(s) for corrective action, any hazardous conditions that may exist, actions to be taken by the misuser to resolve the problem, and a statement covering the action to be taken to ensure that certification mark is not applied to ineligible products.

9. Completing a Successful Corrective Action with a Misuser who has an Agreement with MOIAT-CAD

| | | | Prime Certification & Inspection | | | | | | |
|----------------|---------------------------|--------------|----------------------------------|----------------------------|--------|----------|---------------|--|-----------------------|
| P_ | P.O Box 61670, Dubai, UAE | | | Duima C&I Asia Pacific Inc | | | | Prime C&I Chiba City, | Company Ltd. Japan |
| PRIME | Ph.: + 971(4) 431 43 45 | | Web: www.primegroup.ae | | | | | -205-4995 <u>Oprimeci-japan.com</u> .primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Ar | nnex. C) |
| Doc ref: QP-11 | _ | Issue: 01 | | Revisio | n: 00 | Date | 26/11/2019 | Pa | ge 8 of 19 |
| Prepared by | Technical Manager | | | | Appro | ved by | Certification | n Manag | ger |

When a corrective action has been resolved to MOIAT-CAD's satisfaction, MOIAT-CAD will undertake the following:

- 9.1. All recipients of the letter which called for corrective action will be sent a second letter which:
- States the suspension imposed upon the misuser
- has been lifted and that authorization to use the certification mark has been reinstated;
- summarizes the corrective action taken by the misuser;
- When applicable, describes the new marking required to distinguish the product in its corrected state from its previous unacceptable condition.
- 9.2. Certification records will be revised to include any modifications necessitated by the corrective action.

MOIAT-CAD shall also carry out an audit of:

- Its own approval and surveillance duties to determine whether part of the misuse was due to a weakness in its own organization;
- its procedures to determine the means whereby MOIAT-CAD's approval and surveillance responsibilities can be altered to ensure, so far as realistic to do so, that such misuse of the mark cannot be repeated.
- 10. Degree of Corrective Action to be Achieve

MOIAT-CAD desires that the corrective action be taken on one hundred percent of the product involved. However, this may not be possible, especially if the product has been out on the market for a considerable time. Normally, MOIAT considers that corrective action as appropriate has been carried out satisfactorily if:

- 10. 1. The misuser has made a proper public announcement when asked to do so;
- 10.2. The products in the marketplace and distribution sites have been recalled, rebuilt, replaced or destroyed under supervision, or other corrections thereto made as required to the maximum degree feasible;
- 10.3. The misuser has agreed to continue the required corrective action on units which are in the possession of the user until MOIAT-CAD is satisfied that the maximum practicable result has been achieved;

| | | | | | Pı | rime Ce | ertificatio | n & Inspection |
|----------------|-----------------------------|---|----|-------------------------------|--------------------|----------|-------------------|--|
| • | P.O Box 61670, Dubai, UAE M | | | Daine a Coll Asia Dasifia Inc | | | | Prime C&I Company Ltd. Chiba City, Japan |
| PRIME | Email: info | (4) 431 43 45 Ph.: +632 84041002 o@uaeprime.com w.primegroup.ae Web: <u>www.primegroup</u> | | | Email: info(a)r | | orimeci-india.com | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revisio | n: <mark>00</mark> | Date | 26/11/2019 | Page 9 of 19 |
| Prepared by | Technical Manager | | | | Appro | ved by | Certification | n Manager |

10.4. Such necessary steps have been instituted in the manufacturing process to obviate the production of products which will again require similar corrective action.

11. Refusal to Take Corrective Action

When a misuser refuses to take corrective action, MOIAT-CAD will take the following steps:

- 11.1. Cancellation of appropriate certification contracts with the misuser may be processed;
- 11.2. Regulatory authorities involved and/or other bodies, when relevant, shall be informed that the misuser has refused to take corrective action and that certification license and contracts in the name of the misuser have been canceled, where the severity of the case warrant such action;
- 11.3. Legal actions may be taken as per Federal Law 28:2001.

In the event that a supplier refused to take corrective action, discussions with concerned regulatory authorities, government bodies, free zone authorities, interested parties and legal counsel may be held to decide on a course of action. In addition to action that regulatory authorities might take, some possible courses of action open to MOIAT-CAD would include:

- 11.3.1. Promoting a rapid revision of the standard and requiring all certified products of the type involved to meet the new criteria at an early date following the revision to the standard;
- 11.3.2. Notifying the public of the discovered hazard via the most appropriate news media.
- 12. REFERENCES
- 1. ISO IEC Guide 65:1996 General requirements for bodies operating product certification systems
- 2. ISO Guide 27:1983 Guidelines to be taken by the certification body in the event of misuse of

its mark of conformity

- 3. ISO Guide 23:1982 Methods of indicating conformity with standards for third party certification systems
- 4. Federal Law No. 28:2001 Federal Law of Establishing MOIAT

| | | | Prime Certification & Inspection | | | | | |
|----------------|---|--------------|---|--|---------------------|-------------------------------|-------------|--|
| • | Prime C&I P.O Box 61 | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | | | | Prime C&I Company Ltd. Chiba City, Japan |
| PRIME | Ph.: + 971(4) 431 43 45 Email: info@uaeprime.com | | | Ph.: +632 84041002 Email: info@primeasiapacific.com Web: www.primegroup.ae | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | e of Product Conform | | | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | Revision: 00 | | n: <mark>0</mark> 0 | Date: 26/11/2019 | | Page 10 of 19 |
| Prepared by | Techn | ical Manage | r Appro | | ved by | Certification | Manager | |

Usage Policy for ECAS Mark (ECAS Mark of Conformity)

Purpose

This document regulates the use of ECAS Mark of Conformity in certified products and this is intended for MOIAT and its clients. This will be the document to be used as a reference for the proper usage of the ECAS Mark of Conformity and the corrective action to be taken in case of misuse.

Content

- 0. Definitions
- 1. Introduction
- 2. Design of ECAS Mark of Conformity
- 3. General Rules
- 4. Corrective Action for Defective Products or Misuse of ECAS Mark of Conformity
- 5. Conditions under which Corrective Action is taken
- 6. Types of Corrective Action
- 7. Choice of Action against the Misuser
- 8. Initiating Corrective Action with Misuser
- 9. Completing a Successful Corrective Action with a Misuser who has an Agreement with MOIAT -CAD
- 10. Degree of Corrective Action to be Achieve
- 11. Refusal to Take Corrective Action
- 12. References
- 0. DEFINITIONS

For the purpose of this Policy, the following definitions shall apply:

| | | | | | P | rime Ce | ertification | n & Inspection | |
|----------------|-------------------------|--|--|-------------------|-------------------------------|-----------------------|--|---|--|
| PRIME | Prime C&I P.O Box 61 | | Drime C&I Asia Pacific Inc | | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Email: info | 4) 431 43 45 @uaeprime.com v.primegroup.ae | Email: <u>into@primeasiapacific.com</u> Web: www.primegroup.ae | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | Issue: 01 | | | Revision: 00 | | Date: 26/11/2019 | | Page 11 of 19 | |
| Prepared by | Technical Manager | | | | Appro | oved by Certification | | Manager | |

0.1 ECAS Mark of Conformity

It is an approved mark by MOIAT indicating conformity of product to the UAE Product Certification

Scheme.

0.2 Certified Product

It refers to the product(s) being evaluated and approved for the UAE Product Certification Scheme.

0.3 Mark

It is a unique graphic identification of an organization. In the context of product certification, it is a product certification mark given to product/s which complies with an approved standard.

0.4 Approved Standard

It refers to a Product Standard approved by MOIAT to be used in verifying conformity of a product.

0.6 UAE Product Certification Scheme

It is a national product certification scheme which allows the use of the ECAS Mark of Conformity to the certified product.

1. INTRODUCTION

This document is prepared for satisfying the requirement of Federal Law No. 28:2001 Article 5, Clause 11 requiring that the certificate of conformity and marks issued by MOIAT shall be properly controlled. It is also in compliance with MOIAT BOD resolution Number 78 of 2017 on the mandatory use of ECAS Mark of Conformity. The license to use the ECAS Mark of Conformity (ECAS Mark) is given to companies manufacturing certified products and this document specifies the conditions on the proper use of ECAS-Mark of Conformity and the corrective action for its misuse.

2. DESIGN OF ECAS-Mark of Conformity

2.1 Design

| | | | Prime Certification & Inspection | | | | | |
|----------------|---------------------------|---------------|----------------------------------|--|--------|---|-------------|--|
| • | P.O Box 61670, Dubai, UAE | | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | Prime C&I In Bengaluru, In | | Prime C&I Company Ltd. Chiba City, Japan |
| PRIME | Email: info | @uaeprime.com | Email | Email: <u>into@primeasiapacific.com</u> Web: www.primegroup.ae | | Ph.: +91 80 46848484 Email: info@primeci-india.com Web: www.primegroup.ae | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae |
| Title | Proce | dure for Use | e of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) |
| Doc ref: QP-11 | | Issue: 01 | | Revisio | n: 00 | Date | 26/11/2019 | Page 12 of 19 |
| Prepared by | Technical Manager A | | | Appro | ved by | Certification | n Manager | |



2.2 Colour

The Mark shall have the same colour as provided by MOIAT and shall be printed on the product which is in contrast with the Mark for proper visibility/readability. The colour of the mark shall be non- removable or indelible. Single colour can be allowed for secondary packaging but limited to Black (with White background) or White Colour (with Black background) only.

2.3 Size

The size of the mark shall not be less than $3cm \times 1.5cm$. It shall be visible and readable at all times. In any case of size variations (decreasing or increasing), the size must always follow and respect the proportions of the Mark (1:2) as shown in clause 2.1.

2.4 Access to ECAS Mark of Conformity

The ECAS Mark of Conformity will be transferred electronically to companies after the signing of the

| | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|---------------|---|---|-------------------------------|----------|--|---|--|
| | P.O Box 61670, Dubai, UAE | | | Prime C&I Asia Pacific Inc. Makati City, Philippines | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Email: info | @uaeprime.com | Ph.: +632 84041002 Email: info@primeasiapacific.com Web: <u>www.primegroup.ae</u> | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | | |
| Title | Proce | dure for Use | e of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | | Issue: 01 | e: 01 Revision | | n: 00 | Date | 26/11/2019 | Page 13 of 19 | |
| Prepared by | Techn | nical Manager | | | Approved by | | Certification Manager | | |

License to Use the ECAS Mark of Conformity.

2.5. Location of ECAS-Mark of Conformity

The ECAS Mark of Conformity shall be placed conspicuously at front side of the product or at the bottom left away from any other mark.

- 3. GENERAL RULES
- 3.1 After obtaining the Certificate of Conformity (CoC), the licensee shall use the ECAS Mark of Conformity on the certified products.
- 3.2 The licensee may use the mark for sales promotion for the product. It may be used in advertisements and on stationery together with the mark or the name of the manufacturer or the licensee provided that it is not used in such a manner that MOIAT may consider as misleading. The ECAS Mark of Conformity shall be used for every piece of the product. ECAS Mark of Conformity may be used on the following (subject to MOIAT approval):
- -on the principal display panel of the certified products,
- -on the secondary or tertiary packaging whichever is directly visible to the buyer during display
- -on display areas where product are displayed for sale/marketing/promotion (for small items)
- -on product manuals/brochures
- -any other MOIAT approved areas of usage upon official confirmation/approval of MOIAT
- 3.3 The ECAS Mark of Conformity shall be reproduced exactly the same color and proportion whenever it is possible.
- 3.4 The ECAS Mark of Conformity is the exclusive property of MOIAT and its correct use is a contractual obligation. Intentional misuse of the mark maybe grounds for actions that may include but not limited to withdrawing the Certificate of Conformity.
- 3.5 MOIAT shall implement market monitoring for ensuring correct use of the ECAS-Mark of

| • | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|--------------------------------------|----|---------------------------|---|------------------|-----------------------|--|--|
| | P.O Box 61670, Dubai, UAE Maka | | | wime C&I Asia Pacific Inc | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Email: info | Email: info@uaeprime.com Email: info | | | 632 84041002 info@primeasiapacific.com | | primeci-india.com | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | Issue: 01 | | | Revisio | n: 00 | Date: 26/11/2019 | | Page 14 of 19 | |
| Prepared by | Technical Manager | | | | Appro | ved by | Certification Manager | | |

Conformity.

3.6 The company/supplier shall not use its product certification in such a manner as to bring MOIAT-

Conformity Affairs Department (CAD) into disrepute and not make any statement regarding its

product certification that MOIAT-CAD may consider misleading or unauthorized.

- 3.7 In making reference to its product certification in communication media, a supplier of ECAS Mark of Conformity. Certified products must comply with MOIAT-CAD requirements. A supplier may publish that it has been authorized to apply certification mark to products to which the certification applies. In all cases, the supplier shall take sufficient care of in its publications and advertisements that no confusion arises between certified and non-certified products. If a supplier wishes to publish a test report or evaluation report, the report shall be reproduced in full, unless specific authorization is granted by MOIAT- CAD to publish part(s) of the report. A supplier shall not specify function or claim or the like in its use information that could mislead purchasers to believe that performances of the products or its use are covered by the certification when in fact they are not.
- 3.8 Instructions or other user information accompanying the product and related to the certification scheme shall be approved by MOIAT-CAD. Advertisements containing MOIAT-CAD certification mark or reference to certification shall be approved by MOIAT-CAD.
- 3.9 In case of any doubts regarding the use of the mark, prior written approval shall be obtained from MOIATto prevent misuse and subsequent corrective action.
- 4.0 Corrective Action for Defective Products or Misuse of Certification Mark

MOIAT-CAD procedures for taking corrective action following the identification of defective products or misuse of its certification marks follow ISO/IEC Guide 27, Guidelines for corrective action to be taken by a certification body in the event of either misapplication of its mark of conformity to a product, or products which bear the mark of the certification body being found to subject persons or property to risk.

5.0 Conditions under which Corrective Action is taken

MOIAT-CAD will require a misuser (i.e., any person, organization, or corporate body that misuses the certification marks, regardless of whether or not the product is eligible to bear the mark) to take corrective action whenever an the certification mark has been affixed to a product that:

• is hazardous;

| PRIME | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|---------------|--|---|-------------------------------|----------------|-----------------------|--|---------------------------------|
| | P.O Box 61670, Dubai, UAE | | | e C&I Asia Pacific ati City, Philippin | Inc. | | | | C&I Company Ltd. City, Japan |
| | Email: info | @uaeprime.com | Email: into@primeasiapacitic.com Web: www.primegroup.ae | | Email: info@primeci-india.com | | Email: | 81-43-205-4995 <u>info@primeci-japan.com</u> www.primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – | (Annex. C) |
| Doc ref: QP-11 | Issue: 01 | | Revisio | | n: 00 | Date: 26/11/20 | | | Page 15 of 19 |
| Prepared by | Techn | ical Manage | r | | Appro | ved by | Certification Manager | | |

• is not authorized to bear the certification mark, e.g., because there is no record of the product in question having been certified; or does not comply with the applicable certification requirements to

the extent that the integrity of certification mark is jeopardized;

- bears an unauthorized form of the mark; or
- is in violation of the ECAS-Mark of Conformity policies under which the product was tested and certified.

A product is considered "hazardous" if it exposes life, limb, or property to imminently dangerous conditions. A hazardous product is considered to exist if the quantity of products involved is such as to constitute an unacceptable percentage, and there is either:

- An unsafe construction; or
- The product is gaining widespread use in an application not foreseen when the standard(s) to which the product is certified was (were) written, such applications in turn being ones for which the product

was not certified; and

- No specific scope of applications has been provided in the standard(s), and
- No limiting scope of application has been provided by the manufacturer in written material accompanying the product at point of sale.

Note — where an inherent hazard is necessary for the product to perform its intended function, e.g. rotating blades of a food mixer, such a hazard shall not be considered "hazardous" in the context of this definition.

Whenever either a report of misuse of certification mark or of a hazard involved with a product bearing certification mark is received, the validity of the report will be investigated. Where it is established that misuse has occurred MOIAT-CAD will determine the scope of the misuse, including products, model number, serial numbers, factory production facilities, production runs and quantities involved.

- 6.0 Types of Corrective Action
- 6.1 Corrective action could be one or more of the following:
- 6.1.1. Notification of parties authorized and responsible for instituting a recall (i.e., the action by which the misuser of the certification mark or the producer of a hazardous product or other party responsible for making the

| • | Prime Certification & Inspection | | | | | | | | |
|----------------|---|--------------|---------------------------------|--|--------------------|-------------------------------|-----------------------|--|--|
| | Prime C&I P.O Box 61 | | Duime a Co. I Asia Dasifia Inc. | | | | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Ph.: + 971(4) 431 43 45 Email: info@uaeprime.com | | | Ph.: +632 84041002 Email: info@primeasiapacific.com Web: www.primegroup.ae | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | _ | Issue: 01 | Revision: 00 | | n: <mark>00</mark> | Date: 26/11/2019 | | Page 16 of 19 | |
| Prepared by | Techn | ical Manager | | | Approved by | | Certification Manager | | |

product available withdraws the product from users, the marketplace, or distribution sites and returns them to an acceptable location for corrective action) when, in MOIAT-CAD's opinion, such recall is necessary to protect the public and to permit implementation of the corrective action (i.e., the action determined by MOIAT CAD to be appropriate to eliminate the consequences of the misuse and to remove the hazard as far as necessary and practicably possible);

- 6.1.2 Removing the certification mark from the product (This is normally done only at the factory or other central location so that the product in question is removed from the stockroom, marketplace, distribution sites, or user's possession. Alternatively, the certification mark could be removed from the product on site, provided such removal is in collaboration with the involved regulatory authorities who would then proceed to accept or reject the product.);
- 6.1.3. Rebuilding the product so that it complies with the governing certification requirements;
- 6.1.4. Scrapping or replacing a returned product because it is not practicable either to remove the certification mark or to rebuild the product so that it complies with the governing certification requirements; and
- 6.1.5. Where a hazardous condition exists, MOIAT CAD will, in consultation with the appropriate regulatory authorities (such as Dubai Municipality, Abu Dhabi Municipality etc), pursue the release of a notice to the general public about the hazard.
- 7. Choice of Action against the Misuser

When the facts indicating a need for corrective action are conclusive, MOIAT-CAD will initiate corrective action immediately, provided there is a misuser to be held responsible for such action. Legal actions to be initiated and penalties to be imposed shall be based on Federal Law 28:2001.

8. Initiating Corrective Action with Misuser

When there is conclusive proof that a product is hazardous or is involved in misuse of certification mark, corrective action will be initiated by MOIAT-CAD. In such instances, the misuser and, where appropriate, the regulatory authorities shall be notified immediately by telephone, fax, or E-Mail of the problem, and License to apply the certification mark to the involved product shall be terminated. In the case of a hazardous product bearing the certification mark, MOIAT-CAD will inform the misuser of the need to take appropriate corrective action, advising of the hazard and the action to be taken.

| PRIME | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|---------------|--|---|-------------------------------|----------------|-----------------------|--|---------------------------------|
| | P.O Box 61670, Dubai, UAE | | | e C&I Asia Pacific ati City, Philippin | Inc. | | | | C&I Company Ltd. City, Japan |
| | Email: info | @uaeprime.com | Email: into@primeasiapacitic.com Web: www.primegroup.ae | | Email: info@primeci-india.com | | Email: | 31-43-205-4995 <u>info@primeci-japan.com</u> vww.primegroup.ae | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (| (Annex. C) |
| Doc ref: QP-11 | Issue: 01 | | Revisio | | n: 00 | Date: 26/11/20 | | J | Page 17 of 19 |
| Prepared by | Techn | ical Manage | r | | Appro | ved by | Certification Manager | | |

The initial notification to the misuser will require confirmation in writing by registered (or equivalent) letter, with copies to the appropriate regulatory authorities and/or other bodies when appropriate. Such letter will normally contain: the reason(s) for corrective action, any hazardous conditions that may

exist, actions to be taken by the misuser to resolve the problem, and a statement covering the action to be taken to ensure that certification mark is not applied to ineligible products.

9. Completing a Successful Corrective Action with a Misuser who has an Agreement with MOIAT-CAD

When a corrective action has been resolved to MOIAT-CAD's satisfaction, MOIAT-CAD will undertake the following:

- 9.1. All recipients of the letter which called for corrective action will be sent a second letter which:
- States the suspension imposed upon the misuser
- has been lifted and that authorization to use the certification mark has been reinstated;
- summarizes the corrective action taken by the misuser;
- When applicable, describes the new marking required to distinguish the product in its corrected state from its previous unacceptable condition.
- 9.2. Certification records will be revised to include any modifications necessitated by the corrective action. MOIAT-CAD shall also carry out an audit of:
- Its own approval and surveillance duties to determine whether part of the misuse was due to a weakness in its own organization;
- its procedures to determine the means whereby MOIAT-CAD's approval and surveillance

responsibilities can be altered to ensure, so far as realistic to do so, that such misuse of the mark cannot be repeated.

10. Degree of Corrective Action to be Achieve

MOIAT-CAD desires that the corrective action be taken on one hundred percent of the product involved. However, this may not be possible, especially if the product has been out on the market for a considerable time. Normally, MOIAT considers that corrective action as appropriate has been carried out satisfactorily if:

| | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|-------------------|--|-------------------|-------------------------------|-------------------------------|--|---|--|
| | Prime C&I P.O Box 61 | | Duime a Coll Asia Dasific Inc | | | Prime C&I In Bengaluru, In | | Prime C&I Company Ltd. Chiba City, Japan | |
| | Email: info | @uaeprime.com | Ph.: +632 84041002 Email: info@primeasiapacific.com Web: www.primegroup.26 | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japan.com</u> Web: www.primegroup.ae | | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | 11 Issue: 0 | | Revisio | | n: <mark>00</mark> | Date | 26/11/2019 | Page 18 of 19 | |
| Prepared by | Techn | Technical Manager | | | Appro | oved by Certification | | n Manager | |

- 10. 1. The misuser has made a proper public announcement when asked to do so;
- 10.2. The products in the marketplace and distribution sites have been recalled, rebuilt, replaced or destroyed under supervision, or other corrections thereto made as required to the maximum degree feasible;
- 10.3. The misuser has agreed to continue the required corrective action on units which are in the possession of the user until MOIAT-CAD is satisfied that the maximum practicable result has been achieved;
- 10.4. Such necessary steps have been instituted in the manufacturing process to obviate the production of products which will again require similar corrective action.
- 11. Refusal to Take Corrective Action

When a misuser refuses to take corrective action, MOIAT-CAD will take the following steps:

- 11.1. Cancellation of appropriate certification contracts with the misuser may be processed;
- 11.2. Regulatory authorities involved and/or other bodies, when relevant, shall be informed that the misuser has refused to take corrective action and that certification license and contracts in the name of the misuser have been canceled, where the severity of the case warrant such action;
- 11.3. Legal actions may be taken as per Federal Law 28:2001.

In the event that a supplier refused to take corrective action, discussions with concerned regulatory authorities, government bodies, free zone authorities, interested parties and legal counsel may be held to decide on a course of action. In addition to action that regulatory authorities might take, some possible courses of action open to MOIAT-CAD would include:

- 11.3.1. Promoting a rapid revision of the standard and requiring all certified products of the type involved to meet the new criteria at an early date following the revision to the standard;
- 11.3.2. Notifying the public of the discovered hazard via the most appropriate news media.

12. REFERENCES

1. ISO IEC 17065:2012 - Conformity assessment - Requirements for bodies certifying products, processes and services

| | Prime Certification & Inspection | | | | | | | | |
|----------------|----------------------------------|------------------|---|-------------------|--------|-------------------------------|-------------|---|----|
| | Prime C&I P.O Box 61 | | Prime C&I Asia Pacific Inc. Makati City, Philippines Ph.: +632 84041002 Email: info@primeasiapacific.com Web: www.primegroup.ae | | | Prime C&I In Bengaluru, Ir | | Prime C&I Company Ltd Chiba City, Japan | l. |
| | Email: info | @uaeprime.com | | | | Email: info@primeci-india.com | | Ph.: +81-43-205-4995 Email: <u>info@primeci-japar</u> Web: www.primegroup | |
| Title | Proce | dure for Use | of | Product Co | onform | ity mark | - EQM & ECA | AS – (Annex. C) | |
| Doc ref: QP-11 | c ref: QP-11 Issue: 01 | | Revisio | | n: 00 | Date: 26/11/2019 | | Page 19 of 1 | 9 |
| Prepared by | Techn | echnical Manager | | | Appro | proved by Certification | | on Manager | |

- 2. ISO Guide 27:1983 Guidelines to be taken by the certification body in the event of misuse of its mark of conformity
- 3. ISO Guide 23:1982 Methods of indicating conformity with standards for third party Certification systems
- 4. Federal Law No. 28:2001 Federal Law of Establishing MOIAT
- 5. Prime C&I schemes for ECAS Certification of specific Products.